GOVERNMENT OF ANDHRA PRADESH ABSTRACT

Public Servants - Irrigation Department - Allegation of corruption against Sri Thoutam Rajeshwar S/o Late Narayana, Assistant Engineer, Irrigation, Rayaparthy Section, I/C Wardhannapet Section, Warangal District-Sanction of Prosecution-Orders-Issued.

IRRIGATION & C.A.D. (IW:SERVICES-VI(1) DEPARTMENT

G.O.Ms.No. Dated: 06-

12-2008

ORDER

Whereas, Sri Thoutam Rajeswar, worked as Assistant Engineer, Irrigation, Rayaparthy Section, Warangal District from

01-09-2001 to 23-09-2006 as well as he was in charge of Wardhannapet Section, Warangal District from 21-04-2006 to

23-09-2006 and by virtue of the post held by him he falls under the category of public servant as defined under clause (c) section 2 of the Prevention of Corruption Act, 1988 (Central Act, 49 of 1988);

And whereas, it is alleged that Sri Cholleti Narendar Reddy, S/o Gopal Reddy, Occ: Civil Contractor, R/o H.No.2-8-661, Bhavani Nagar, Hanamkonda, N/o Kartial (Village), Wardhannapet (Mandal), Warangal District visited the office of the Deputy Superintendent of Police, Anti Corruption Bureau, Warangal on 22-06-2006 10-00 A.M., and lodged a written complaint in Telugu stating that he is working as civil contractor and in May, 2006 he took up the work of "Breach filling of Kadari Cheruvu" of his neighboring village Kadarigudem from Irrigation Department, The cost of the said work was estimated for Rs.2,02,998/- and he entered into an agreement with the Irrigation Department, Warangal for executing the said work. He completed the work in July,2006. After that he met Sri T.Rajeswar, in charge Assistant Engineer, Irrigation, Wardhannapet Section, Warangal District in the last week of July, 2006 and requested him to prepare the bill after Accordingly the Assistant recording the measurements. Engineer took the measurements of his work but did not record in Measurements Book. Again about 20 days back he met Sri T.Rajeshwar, Assistant Engineer and requested him to prepare the bill and to record the measurements in the Then Sri T.Rajeswar, Assistant Measurements Book. Engineer demanded an amount of Rs.15,000/- as a bribe for recording the measurements in Measurements Book and for preparing the bill. He expressed his inability to pay such a huge amount as a bribe , but the Assistant Engineer did not listen to him. Again on 16-09-2006 he met Sri T.Rajeshwar, Assistant Engineer at his residence in Hanamkonda and requested him for preparing the Measurements Book and the bill. But the Assistant Engineer reiterated his earlier demand of bribe of Rs.15,000/- and clearly told that his work will be done only when he pays the bribe amount. On his persistent requests the Assistant Engineer reduced the bribe amount of Rs. 10,000/- and clearly stated that, his work would be done only on the payment of the bribe. Sri Cholleti Narendar Reddy who was not willing to pay the bribe as demanded by T.Rajeshwar, Assistant Engineer, preferred a written

(P.T.O.)

::2::

complaint with the Deputy Superintendent of Police, Anti-Corruption Bureau, Warangal Range, Warangal against Sri.T.Rajeshwar, Assistant Engineer which was registered as a case in Cr.No.08/ACB-WRL/2006 under section 7 of Prevention of Corruption Act, 1988 on 23-09-2006 after due verification and he took up investigation;

- And whereas, it is further alleged that, during the course of trap on 23-9-2006 Sri T.Rajeshwar, Assistant Engineer demanded and accepted the tainted amount of Rs.10,000/- (Rupees Ten Thousand) from Sri Ch. Narendar Reddy as illegal gratification other than legal remuneration for showing official favour in recording the work in Measurements Book and for preparing the bill for the contract work i.e, Breach Filling Work to Kadari Cheruvu of Kadarigudem Village, Wardhanapet Mandal, Warangal District executed by Sri Ch.Narendar Reddy and was trapped by the Deputy Superintendent of Police, Anti-Corruption Bureau, Warangal Range, Warangal in Crime No: 8/ACB-WRL/2006. Both hand fingers of Sri T.Rajeshwar, Assistant Engineer when subjected to sodium carbonate solution test, yielded positive result and the tainted amount of Rs.10,000/- was recovered form the possession of Sri T.Rajeshwar, Assistant Engineer at his instance i.e., from his table right side drawer in the presence of mediators. The contact portion with the tainted currency notes i.e., the left side corner potion of the side uppermost drawer of the Sri T.Rajeshwar. Assistant Engineer was subjected to sodium carbonate solution test with the help of cotton swab, it also yielded positive result;
- 4. And whereas, the above said acts of Sri. T.Rajeshwar, Assistant Engineer, Irrigation, Rayaparthy section, Incharge Wardhannapet section, Warangal District constitute offences punishable under section 7 and sub-section (2) of section 13 read with clause (d) of sub-section (1) of section 13 of the Prevention of Corruption Act, 1988 (Central Act 49, 1988);
- 5. And whereas, the Government of Andhra Pradesh being the competent authority to remove the said Sri.T.Rajeshwar, Assistant Engineer, Irrigation, Rayaparthy section, Incharge Wardhannapet section, Warangal District (now under suspension), from Government service after fully and carefully examining the material placed before them in respect of the said allegations and having regard to the facts and circumstances of the case, consider that the said Sri T.Rajeshwar, Assistant Engineer should be prosecuted in a competent Court of law, for the said offences;
- 6. Now, therefore in exercise of the powers conferred under clause (b) of sub-section (1) of section 19 of the

Prevention of Corruption Act, 1988 (Central Act 49 of 1988) the Government of Andhra Pradesh hereby accord sanction for the prosecution of the said Sri T.Rajeshwar, Assistant Engineer, Irrigation, Rayaparthy section, I/c Wardhannapet section, Warangal District for the aforesaid offences punishable under section 7 and sub-section (2) of section 13 read with clause (d) of sub-section (1) of section 13 of the Prevention of Corruption Act, 1988 (Central Act 49 of 1988) and for any other cognate offences punishable under any other provisions of law for the

Contnd..3.

::3::

time being in force in respect of the above said acts and for taking cognizance of the said offences by a Court of Competent Jurisdiction.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

(S.P.TUCKER) PRINCIPAL SECRETARY TO

GOVERNMENT

To

The Director General, Anti Corruption Bureau, Hyderabad. Copy to:

The Law (B) Department.

GOVERNMENT OF ANDHRA PRADESH <u>ABSTRACT</u>

Public Services - Irrigation & CAD Department - Allegations of corruption against Sri Thoutam Rajeshwar, S/o.Late Narayana, Assistant Engineer, Irrigation, Rayaparthy Section, I/c.Wardhannapet Section, Warangal District - Departmental Action - Articles of Charges - Issued.

<u>-</u>

IRRIGATION & C.A.D. (IW:SERVICES-VI(1) DEPARTMENT

G.O.Rt.No. 06-12-2008. **Dated**

<u>06-12-200</u>

ORDER:

It is proposed to hold an inquiry against Sri Thoutam Rajeshar, Assistant Engineer, Irrigation, Rayaparthy Section, I/c.Wardhannapet Section, Warangal District whose parent department is Irrigation & CAD Department, in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

- 2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set-out in the enclosed statement of articles of charges (Annexure-I). A statement of imputations of misconduct or misbehavior in support of each article of charge is enclosed (Annexure-II). A list of documents by which, and a list of witnesses by whom, the articles of charge are proposed to be sustained are also enclosed (Annexure III and
- 3. Sri Thoutam Rajeshwar, Assistant Engineer is directed to submit a written statement of his/her defense within 10 days of the receipt of this order.
- 4. Sri Thoutam Rajeshwar, Assistant Engineer is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He/she should, therefore, specifically admit or deny each article of charge.

- 5. Sri Thoutam Rajeshwar, Assistant Engineer is further informed that if he does not submit his/her written statement of defense on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (CCA) Rules, 1991 or the orders issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex -prate.
- 6. Attention of Sri Thoutam Rajeshwar, Assistant Engineer is invited to Rule 24 of the A.P.Civil Services (Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under

(P.T.O.)

::2::

the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri Thoutam Rajeshwar, Assistant Engineer is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of the A.P.Civil Service (Conduct) Rules, 1964.

- 7. The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad is requested to communicate the date of acknowledgement of Accused Officer, immediately.
- 8. The receipt of the G.O. may please be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri Thoutam Rajeshwar, Assistant Engineer, <u>through</u> the Engineer-in-Chief (AW), I & CAD Deptt., Hyderabad. The Engineer-in-Chief (AW), Irrigation & CAD Deptt., Hyderabad.

Copy to:

The Director General, Anti Corruption Bureau, Hyderabad. The Secretary, A.P.Vigilance Commission, Hyderabad. SF/SCs.

//FORWARDED::BY ORDER//

SECTION OFFICER